

Q. Why am I being chosen for COVID 19 vaccine?

- Gol has prioritised the most high-risk groups which will get the vaccine first. Healthcare providers have led the battle against COVID-19 from the front
 - Healthcare & frontline workers are among the first groups to be vaccinated so that you can continue your work without the fear of risk associated with the virus



Q. What are the groups to be vaccinated in the first phase?

- Based on the potential availability of vaccines Gol has selected the priority groups who will be vaccinated on priority
 - The first group includes healthcare workers because they are at high risk of contracting the infection
 - The next group will include people with comorbid conditions & persons over 50 years of age which will further be divided into 2 subgroups:
 - A 60 years & above will be vaccinated first
 - Between 50 to 60 years of age will be vaccinated after the first subgroup



Q. Why were these priority groups chosen to be vaccinated first?

- Vaccination of healthcare/frontline workers will help reduce societal & economic impact by reducing COVID-19 mortality
 - Vaccination of people over 50 years of age will cover 78% of persons having co-morbidities & reduce COVID-19 mortality
 - The vaccination may not be sequential. It can go in parallel for all beneficiaries depending on the availability of the vaccine



Q. Will my family members also be given the vaccine?

- Due to the limited vaccine supply in the initial phase, it will first be provided to people who are at higher risk of contracting COVID-19
 - In subsequent phases, the COVID-19 vaccine will be made available to others including your family members



Q. Is this vaccine safe?

A Pes. Safety and efficacy of the vaccine will be ensured through various phases of vaccine trials and only then a vaccine will be introduced



Q. Does one need to follow COVID Appropriate Behaviour after receiving the COVID-19 vaccine?

- ▲■■ Even after receiving the COVID-19 vaccine, we must continue taking all precautions viz.
 - A Use of face cover or masks
 - B Hand sanitization
 - Maintain distancing (6 feet or Do Gaj)
 - These behaviours must be followed both at the session site and in general



Q. Are there any common side-effects of this vaccine?

- ▲■■ COVID-19 vaccine is introduced only after its safety is prove
 - As is true for all vaccines, the common side effects in some individuals could be mild fever, pain, etc. at the site of injection
 - States have been asked to start making arrangements to deal with any COVID-19 vaccine-related side-effects